

=====
Section I - IDENTIFICATION
=====

Eutectic Canada Inc.
428 Aimé-Vincent
Vaudreuil-Dorion, Québec
J7V 5V5

Emergency Telephone: (514) 695-7500

Product Name: EutecTor Flux 808 Neutral
AWS Standard Terminology: Welding Flux
WHMIS Classification: B-2 Flammable Liquid
D-2B Other Toxic Effects

Transportation of Dangerous Goods:

Shipping Name: Ethanol Solutions; UN 1170
Class 3.2; Packing Group II.

=====
Section II - HAZARDOUS INGREDIENTS
=====

Ingredient	Range wt%	CAS Number	Exposure Limit mg/m3
Ethyl alcohol	60-100	064-17-5	1900
Rosin	10-30	8050-09-7	10
Dimethylamine hydrochloride	1-5	506-59-2	18

=====
Section III - PHYSICAL / CHEMICAL CHARACTERISTICS
=====

The following data should only be used in the context of the Material Safety Data Sheet.

Physical State: Liquid
Appearance and Odour: Dark coloured liquid; slight rosin odour

=====
Section IV - FIRE AND EXPLOSION DATA
=====

Flammable: Yes, if exposed to open flame.
Extinguishing Media: Alcohol foam, dry chemical, CO2
Flash Point: 11.1 deg. C. U.L. Class 70

=====
Section V - REACTIVITY
=====

Level of stability: May explode if exposed to heat.
Hazardous Polymerization: Will not occur
Hazardous Decomposition: Combustion may produce fumes of COx.

=====
Section VI - HEALTH HAZARD DATA
=====

Route of Entry/Exposure: Inhalation, ingestion.
Short and Long Term Effects: Fumes may contribute to respiratory irritations.
Poison by ingestion.

=====
Section VII - EMERGENCY FIRST AID
=====

Inhalation: Remove to well ventilated area. Obtain medical assistance if necessary.
Ingestion: Poison. Obtain medical assistance.

=====
Section VIII - PREVENTIVE MEASURES
=====

Personal protective equipment: Use CSA approved respirator for protection against fumes in confined areas or where local exhaust or ventilation does not keep exposure below the recommended exposure limit. Wear protective goggles and chemical resistant gloves. Refer to CSA W117.2 - Safety in Welding and Cutting - for further information.

Storage and handling: Keep in tightly closed glass or plastic containers. Do not store near open flame.

Steps to be taken if material is released or spilled: Avoid skin or eye contact. Liquid should be absorbed with an inert material. Waste Disposal Method: Prevent waste from contaminating environment. Disposal should be in accordance with local, provincial and federal regulations.

=====
Section IX - PREPARATION OF MATERIAL SAFETY DATA SHEET
=====

Prepared by: Director of Products and Services
Contact number: 514-695-7500
Date prepared: 30/09/99
Date revised: 30/09/2010 - Expiration Date: 30/09/2013